

Ladle Crane Technical Specifications

Capacity(t)	Span (m)	Lifting Height	Work Duty	Main Lifting Speed	Aux Lifting Speed	Crab Travelling Speed	Trolley Travelling Speed	Power (kw)	Rail
5	10.5~16.5	16	A7	12.9	-	39.5	93.7	24.5	43kg/m
	19.5~31.5	95.2		27.1					
10	10.5~22.5	20	13	-	35.2	95.2	40.1		
	25.5~31.5	88.3		45.5					
16/3.2	10.5~16.5	16/18	10.9	11.5	31	87.8	54.3	43kg/m	
or									
QU70									
	19.5~31.5	90.4		59.7					
20/5	10.5~16.5	12/14	9.8	12.7	37	88.3	71.7		
	19.5~31.5	90.9		79.7					
32/5	10.5~16.5	16/18	7.7	12.7	37.6	90.9	90.5	QU70	
	19.5~31.5	77		90.5					
50/10	10.5~16.5	12/16	6.3	10.5	31.8	77	118.5	QU80	
	19.5~31.5	77.8		130.5					
74/20	13.5~19.5	20/22	6.4	9.7	37.2	67.4	200	QU100	
	22.5~31.5	77		214					
100/32(Double Girder)	19.5~28.5	20/22	7.5	10.5	38	68	393	QU120	
100/32(Four Girder)	19~28	20/22	7.5	12	32.5/37.4	78	426.5		
125/32(Double Girder)	19.5~28.5	20/22	7.5	10.5	38	79.7	479		
125/32(Four Girder)	19~28	20/22	7.5	12	38/37.4	79.7	484.5		
140/40(Double Girder)	22~28	22	6.8	9.1	38	73	479		
140/40(Four Girder)	22~28	22	6.8	9.6	38	77.8	510.5		
160/40(Four Girder)	22~28	22	0.6~6	9.5	38	77.8			
180/50(Four Girder)	28.5	27/29	7.2	9.3	38/40	86			
200/50(Four Girder)	28	26	8	9.3	40	86			
225/65(Four Girder)	27	28	8	10	40/38	87			
240/75(Four Girder)	24	30	10	10.5	38/40	87			
280/75(Four Girder)	21	24/26	10	10.5	36/39	76			
320/80(Four Girder)	24.5	28/32	9	10	36/39	63			